



Bona Mix Colour

Concentrated pigment paste

For individual adaption



Concentrated pigment paste for water soluble coatings. Specially suitable for tweaking the colour of Bona Nordic Tone and Bona Rich Tone but can also be added in small amounts to the lacquers Bona Traffic/Traffic HD or Novia to give the floor a light tint. May also be added to Mix&Fill Plus to optimize the joint colour when joint filling.

- High concentration
- Dissolves easily in waterborne system



Bona Mix Colour

Concentrated pigment paste

For individual adaptation

TECHNICAL DATA

Content:	Concentrated pigment paste
Colours:	Black, Grey, White, Mahogany and Walnut
Consumption:	maximum 250 ml for one 5 litre bottle (5%)
Safety:	Unclassified
Fire risk:	No, see Safety Data Sheet for more information.
Cleaning:	Clean tools with water and soap. Dried material can be scrubbed away with soap and water
Shelf life:	5 years, from the date of production, in unopened original container
Storage/transport:	The temperature must not fall below +5°C or exceed +25°C during storage and transport.
Disposal:	Wastes and emptied containers should be handled in accordance with local regulations.
Sizes:	250 ml bottle

Additional detailed information is noted in the appropriate Safety Data Sheet.

Application

Addition to Bona Nordic Tone or Bona Rich Tone:

1. Shake the pigment bottle and add to Bona Nordic or Rich Tone, max 5%.
2. Shake the mixture carefully.

Note: After colouring, the surface should be sealed with an oil or hardwax oil.

Follow the instructions for Bona Nordic Tone or Bona Rich Tone for application.

Addition to Bona Traffic / Traffic HD / Traffic HD Raw / Novia:

1. Shake the pigment bottle and add the desired amount to the lacquer. For a light tint, the dose is typically between 0,05% - 0,2%. Never exceed more than 5% pigment paste to the lacquer. If mixing several bottles, mix the entire quantity in one large container or use a sensitive weight scale to be precise in your dosage.
2. Shake the mixture carefully.

Applying tinted lacquer is challenging. Working with low concentrations of pigment and instead building the desired colour intensity with multiple coats is advantageous in terms of colour evenness compared to trying to achieve a strong colour in a single application. Application marks or uneven colouration due to uneven application or inappropriate dosing are not accepted as a product claim.

continued on next page



Bona Mix Colour

Concentrated pigment paste

For individual adaptation

Addition to Bona Mix&Fill Plus

1. Mix Bona Mix&Fill Plus with wood dust per separate instruction.
2. Slowly and carefully add Mix Colour until a desired colouration is achieved. Observe that the colour of the filler will not be the same when the filler has dried. Apply a thin coat of filler on a piece of cardboard or similar and evaluate the colour when dry prior to use on the floor.